




B-B







A-A




- Technical requirement
- 1、 pattern draft is 1-2° of main beams ,cover ,grids, frame side.
 - 2、 pattern draft is 5-10° of assistive beams ,gird holes ,outside.
 - 3、 pattern draft is 15° of surface patterns ,mark, logo.
 - 4、 casting radius which aren't been marked is R1-R3.

				General Dimension Tolerance				General Weight Tolerance					
				According To ISO 8062-CT10				Tolerance(%)					
								±5%					
MATERIAL	GJS500-7	WEIGHT/kg	27kg	CLASS	EN124-2 C250	SCALE	MARK:						
						SIZE	CERTIFICATE NO. /						
						595X595X45	PRODUCT CODE						
2PR ●OBLIKUJENOMO ●VODNE ●CESTE				ITEM CODE		NAME							
						L-LGSMEN-260L							
				DESIGN DATE						EDITION		SHEET	
				2017/6/28						0		1/3	



MATERIAL	GJS500-7	WEIGHT/kg	6.5	CLASS	EN124-2 C250	SCALE	MARK:			
						SIZE	CERTIFICATE NO. / PRODUCT CODE			
						595X595X45				
 OBLIKUJENI VODNI CESTI				ITEM CODE	NAME					
					L-LGSMEN-260L					
				DESIGN DATE				EDITION	SHEET	
				2017/6/28				0	2/3	



2PR

OBLIKUJEMO
VODNE
CESTE

L-LGSMEN-260L