


Klešče kombinirane

406/1VDEDP



Uporaba



Profili



[\(/slo/about-us/materials\)](https://slo/about-us/materials)
[\(/slo/support/warranty\)](https://slo/support/warranty)

Atributi izdelka

- material: Premium Plus ogljikovo jeklo
- kovane, v celoti poboljšane
- robovi rezil induktivno kaljeni
- glava klešč polirana
- površinska zaščita: kromirane po ISO 1456:2009
- v celoti izdelane v skladu s standardom ISO 5746 and EN 60900

Prednosti:


- ročaji izolirani z dvoplastno - dvobarvno izolirno maso, s čimer je zagotovljena dodatna varnost

Pomembno!


- ko je vidna druga zaščitna plast, je potrebno zamenjati orodje z novim

standard

EN60900




	L	B	C	A	
619177	140	23	32	8	157
619178	160	24	35	9.5	219
619179	180	27	38	10	269
619180	200	29	41	10.5	321
619181	220	32	47	11	376



Maloprodajno pakiranje

	MA	MB	MC	
619177	210	67	30	156
619178	220	68	31	225
619179	240	65	30	266
619180	250	64	30	332
619181	300	67	30	385



Transportno pakiranje

		TA	TB	TC	
619177	4	75	308	60	706
619178	4	104	277	68	1081

		TA	TB	TC	
619179	4	104	277	68	1145
619180	4	104	277	68	1409
619181	4	145	358	48	1665