


Ključ nasadni, zglobni 1/4", 12 kotni

188/2F12p



Profili



[\(/slo/about-](#)


[us/materials\).](#)



[\(/slo/support/warranty\).](#)


Atributi izdelka

- material: Premium Flex krom vanadijevo jeklo
- kovan, v celoti poboljšan
- površinska zaščita: kromiran po ISO 1456:2009




		L	D1	D2	T↑	
620798	3/16"	35.4	7.7	13.8	4	26
620799	7/32"	35.4	8.6	13.8	4	26
620800	1/4"	35.4	9.5	13.8	4	26

		L	D1	D2	T↑	
620801	9/32"	37.4	10.7	13.8	5	29
620802	5/16"	37.4	12.2	13.8	5	29
620803	11/32"	37.4	13.1	13.8	5	29
620804	3/8"	39.9	14.7	13.8	5	29
620805	7/16"	39.9	15.9	13.8	6	29
620806	1/2"	39.9	17.9	13.8	7	29



Maloprodajno pakiranje

	MA	MB	MC	
620798	100	44	23	31
620799	100	44	23	31
620800	100	44	23	31
620801	105	44	23	34
620802	105	44	23	34
620803	105	44	23	34
620804	105	44	23	34
620805	105	44	23	34
620806	105	44	23	34



Transportno pakiranje

		TA	TB	TC	
620798	4	95	128	34	249
620799	4	95	128	34	249

		TA	TB	TC	
620800	4	95	128	34	249
620801	4	95	128	34	261
620802	4	95	128	34	261
620803	4	95	128	34	261
620804	4	95	128	34	261
620805	4	95	128	34	261
620806	4	95	128	34	261