

# Ključ inbus za kotno vijačenje, dolg

220/3SL



## Uporaba



## Atributi izdelka


- material: Premium krom vanadijevo jeklo
- v celoti poboljššan
- površinska zaščita: nikljan




## Profili







[\(/slo/about-us/materials\)](/slo/about-us/materials)

[\(/slo/support/warranty\)](/slo/support/warranty)






		L1	L2	
608524	1.5	91.5	15.5	6
608525	2	102	18	7
608526	2.5	114.5	20.5	10

		L1	L2	
608527	3	129	23	14
608528	4	144	29	22
608529	5	165	33	35
608530	6	186	38	55
608531	8	208	44	105
608532	10	234	50	105









### Maloprodajno pakiranje

	MA	MB	MC	
608524	165	44	8,2	11
608525	180	44	8,2	12
608526	185	44	8,2	15
608527	200	44	8,2	19
608528	215	44	8,2	27
608529	230	44	20	40
608530	250	50	20	60
608531	270	55	20	110
608532	270	55	20	110



### Transportno pakiranje

		TA	TB	TC	
608524	4	57	237	33	169
608525	4	57	237	33	173

		TA	TB	TC	
608526	4	57	237	33	185
608527	4	57	237	33	201
608528	4	57	237	33	233
608529	4	70	297	44	285
608530	4	70	297	44	365
608531	4	70	327	49	565
608532	4	70	327	49	565