

Kladivo ključavničarsko

812



Profili




Atributi izdelka




- material: Premium Flex Plus ogljikovo jeklo
- kovano
- udarna ploskev in konica induktivno kaljeni
- površinska zaščita: lakirano
- jesenov ročaj z ovalno zagozdo
- v celoti izdelan v skladu s standardom DIN 1041

standard

DIN 1041





		A	L	B	
601796	100	15	260	82	145
601797	150	17,5	280	88	225
601799	200	19	280	95	280

	gr 	A	L	B	
601801	250	21	300	100	340
601802	300	22,5	300	105	380
601803	400	25	310	112	487
601804	500	27,5	320	118	625
601805	600	30	330	122	720
601806	800	33	350	130	955
601807	1000	36	360	135	1150
601809	1500	42	380	145	1690
601810	2000	47	400	155	2195



Maloprodajno pakiranje

	MA	MB	MC	
601796	81	260	14,7	150
601797	88	280	17,5	230
601799	94	280	19,4	285
601801	98	300	20,5	345
601802	104	300	22,4	385
601803	110	310	25,5	492
601804	119	320	28	630
601805	122	330	30	725
601806	130	350	32,2	960
601807	135	360	36	1155
601808	141	380	40,2	1435
601809	142	380	42,5	1695
601810	155	400	47,2	2200

Transportno pakiranje

		TA	TB	TC	
601796	1				



TA

TB

TC



601797	1
601799	1
601801	1
601802	1
601803	1
601804	1
601805	1
601806	1
601807	1
601808	1
601809	1
601810	1

Rezervni deli



Ročaj lesen z zagozdo za kladiva



Zagozda za kladiva