

Snemalec trokraki

682/2



Uporaba



Profili

Atributi izdelka

- material: Premium Flex Plus ogljikovo jeklo
- kovan, v celoti poboljšan
- površinska zaščita: kromiran po ISO 1456:2009, vijak črnjen
- krake je možno nastaviti v dveh višinah
- pri uporabi se kraki tesno stisnejo pod delom, ki ga snemamo



[./slo/about-us/materials\).](#)


Premium

[./slo/about-](#)



[us/materials\).](#)

[./slo/support/warranty\).](#)



	Nº	L↑	D↑			M	S	
612604	0	90	90	25	2.5	M 10 x 1	14	305
601767	1	130	160	40	4	M 14 x 1,5	17	1725
601768	2	190	230	50	5	M 20 x 2	22	2570
601769	3	250	300	80	8	Tr 26 x 3	32	5100

Maloprodajno pakiranje

	MA	MB	MC	
612604	75	132	75	375
601767	107	210	107	1795
601768	140	280	133	2640
601769	160	350	160	5170

Transportno pakiranje

		TA	TB	TC	
612604	1	75	135	75	375
601767	1	107	210	107	1795

		TA	TB	TC	
601768	1	140	133	280	2640
601769	1	163	167	388	5170

Rezervni deli

 Ročica snemalna

 Vreteno