

Izvijač ploščati, izoliran VDE TBI

603VDE TBI



Uporaba



Profili



Premium Hard

[./slo/about-](#)

[us/materials\).](#)




[./slo/support/warranty\).](#)

Atributi izdelka

- steblo: Premium Hard krom vanadijevo jeklo, v celoti poboljšano
- konica črnjena
- ročaj: ergonomska oblika
- trokomponentni material
- luknja za obešanje
- v celoti izdelan v skladu s standardom ISO 2380-1,2 in EN60900
- v celoti izdelan v skladu s standardom ISO 8764-1,2

standard

EN60900



axb

C

L



616436

0.4 x 2.5

75

160

33



616437


0.5 x 3.0

100



185


37

	axb	C	L	
616438	0.6 x 3.5	100	185	39
616439	0.8 x 4.0	100	185	43
621247	1.0 x 4.5	125	225	75
616440	1.0 x 5.5	125	225	75
616441	1.2 x 6.5	150	260	113
616442	1.2 x 8.0	175	295	163
621248	1.6 x 10.0	200	320	115






Maloprodajno pakiranje

	MA	MB	MC	
616436	215	44	32	40
616437	240	44	32	44
616438	240	44	32	46
616439	240	44	32	50
621247	280	44	36,6	82
616440	280	44	36,6	82
616441	315	44	39,7	120
616442	350	44	42,7	170
621248	370	44	42,7	122



Transportno pakiranje

		TA	TB	TC	
616436	4	75	286	40	285

		TA	TB	TC	
616437	4	75	286	40	301
616438	4	75	286	40	309
616439	4	75	286	40	325
621247	4	115	318	39	453
616440	4	115	318	39	453
616441	4	115	340	39	605
616442	4	114	388	47	805
621248	4	114	388	47	613