

Snemalec z notranjim navojem za magnet

3054/4



Profili



[_\(/slo/support/warranty\)](https://unior.com/slo/support/warranty)

Atributi izdelka


- material: Premium Plus ogljikovo jeklo
- površinska zaščita: črnjeno po standardu DIN 50938

Prednosti:


- omogoča snemanje magneta na samem motorju
- snemalec ima nastavek za viličasti ključ s katerim pridržimo magnet

Uporaba:

- za snemanje magneta z zunanjim navojem





Barcode	Thread	D	H↑	Icon
620270	M24 x 1,5	32	80	332
620271	M26 x 1	34	80	353
620272	M28 x 1	36	80	385
620273	M30 x 1	38	80	417
620274	M30 x 1,5	38	80	432
620275	M35 x 1,5	45	90	666
620276	M38 x 1,5	48	105	880
620277	M50 x 1,5	60	105	1254






Maloprodajno pakiranje

Barcode	MA	MB	MC	Icon
620270	180	80	32,2	377
620271	180	80	34,2	395

	MA	MB	MC	
620272	180	80	36,2	451
620273	180	80	38,2	437
620274	180	80	38,2	439
620275	180	80	45,2	659
620276	240	80	48,2	864
620277	240	100	60,2	1225

Transportno pakiranje

		TA	TB	TC	
620270	1				
620271	1				
620272	1				
620273	1				
620274	1				
620275	1				
620276	1				
620277	1				

Rezervni deli



Ščitnik ročične gredi